

# EKR-KB1

Home | Security | Processing | Accessories

EKR-KB1

Universal Keyboard for Matrix Switchers EKR Series,

Pantone Coolgray 1C

Art-Nr. 75207



## Main Features

Operation of EKR-(8)16/4 , EKR-32/8 Matrixes  
Fixed or Variable Speed Control  
Camera and Monitor Call-Up  
Programmable Sequences/Salvos and Tours  
LCD Display

Addressable  
RS-485 Serial Interface  
Supply Voltage: 12VDC  
Direct Control of P/T Head and Domr Cameras

## Specifications

<b>Colour</b>	white
<b>Weight</b>	1.7kg
<b>Supply voltage</b>	12VDC (Power supply 100-240VAC included)
<b>Joystick</b>	3-axis proportional joystick for manual control of variable speed
<b>Direct mode</b>	Via RS-485, RJ-11 interface for the P/T head series VPT-41/-42 and for Dome cameras from eneo, Pelco, Elbex, Ernitec, Elmo, JVC, Panasonic, Samsung, Santec, Sensormatic, Star, VCL, and others
<b>Macro function</b>	Up to 10 free configurable virtual keys for macro functions
<b>Control functions</b>	Keys select cameras and monitors, operate presets, patterns, auxiliaries, and sequences Camera functions: pan, tilt, zoom, focus, iris for fixed or variable speed control of pan and tilt heads and dome cameras
<b>PC interfaces</b>	RS-232 for firmware update
<b>Control Interface</b>	1x RS-485 for Matrix and Multiplexer control. 2x RS-485 for independent daisy-chain control of up to 999 telemetry receivers each, via 1200m max. distance

# EKR-KB1




(Continuation Specifications)

<b>Menu languages</b>	English, German, French, Italian
<b>Backup</b>	Set-up and firmware update via RS-232 Interface (Distance of up to 15m max.)
<b>Password protection</b>	3 password levels: connection, set-up, alarm reset
<b>Housing</b>	Thermo-resistant and shock proof ABS plastic
<b>Parts supplied</b>	Wide range power supply, Power and RJ-11 cables, RJ-11 shunt box, German/English manual (other languages upon request)
<b>Certificates</b>	CE

# EKR-KB1

Home | Security | Processing | Accessories

## Technical drawing



SLD Security & Communications  
The Old Forge, Ockham Lane, Ockham, Surrey GU236PH England  
Phone +44.1483225633 · Fax +44.1483225634  
sales@sld.co.uk · www.sld.co.uk

